Volume 94, July–December 1999

OBSTETRICS & GYNECOLOGY

OBSTETRICS & GYNECOLOGY

Editor *Roy M. Pitkin, MD,* Los Angeles, CA

Associate Editor *Morton A. Stenchever, MD,* Seattle, WA

Assistant Editor *Robert Israel, MD,* Los Angeles, CA

Assistant Editor (Statistics) *Leon F. Burmeister, PhD,* Iowa City, IA

Editorial Board
Steve N. Caritis, MD, Pittsburgh, PA
Dwight P. Cruikshank, MD, Milwaukee, WI
Philip D. Darney, MD, MSc, San Francisco, CA
James H. Harger, MD, Pittsburgh, PA
Timothy R. B. Johnson, MD, Ann Arbor, MI
Eberhard Mueller-Heubach, MD, Winston-Salem, NC
Roy T. Nakayama, MD, Honolulu, HI
Kavita Nanda, MD, Durham, NC
Ingrid Nygaard, MD, Iowa City, IA
Jeffrey F. Peipert, MD, Providence, RI
Sharon T. Phelan, MD, Birmingham, AL
Cecilia Schmidt-Sarosi, MD, New York, NY
Roger P. Smith, MD, Kansas City, MO
Russell R. Snyder, MD, Galveston, TX
Joel Sorosky, MD, Iowa City, IA

Editorial Staff
Karyn Cook Zafran, Managing Editor
Nancy Rowe, Production Assistant
Shaun A. Mason, Production Assistant
Donna A. M. Stearns, Editorial Assistant

General Information

Please direct orders for subscriptions, single copies and back issues, changes of address, and claims for missing issues to Elsevier Science Customer Support Department, PO Box 945, New York, NY 10010, Telephone (212) 633-3730, toll-free for customers in North America (888) 4ES-INFO, FAX (212) 633-3680, E-mail usinfo-f@elsevier.com.

Subscriptions begin with the January issue when available.

On-line text is now available through BRS Colleague, 8000 Westpark Drive, McLean, VA 22102; (800) 289–4277.

Reprints, except special orders of 100 or more, are available only from the authors.

Advertising inquiries should be addressed to Pharmaceutical Media Inc., 30 East 33rd Street, 4th floor, New York, NY 10016.

Original manuscripts should be addressed to Roy M. Pitkin, MD, Editor, *Obstetrics & Gynecology*, 10921 Wilshire Boulevard, Suite 403, Los Angeles, CA 90024–3908; telephone (310) 208–3556.

© 1999 by THE AMERICAN COLLEGE OF OBSTETRICIANS AND GYNECOLOGISTS

Claims for missing issues can be honored only up to 3 months for domestic addresses, 6 months for foreign addresses. Duplicate copies will not be sent to replace ones undelivered through failure to notify Elsevier of change of address. This journal has been registered with the Copyright Clearance Center Inc. Consent is given for the copying of articles for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition that the copier pay through the center the per copy fee stated in the code on the first page of each article for copying beyond that permitted by the US Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center Inc., 222 Rosewood Drive, Danvers, MA 01923. If no code appears on an article, the author has not given broad consent to copy, and permission to copy must be obtained directly from the author. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotional purposes, or for creating new collective works. All inquiries regarding copyrighted material from this publication, other than reproduction through the Copyright Clearance Center, should be directed to: Rights and Permissions Department, Elsevier Science Ltd., PO Box 800, Oxford, OX5 1DX, UK, FAX 44-1865 853333. No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Because of rapid advances in the medical sciences, independent verification of diagnoses and drug dosages should be made. Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer. This paper meets the requirements of ANSI Standard Z39.48–1992 (Permanence of Paper).

The American College of Obstetricians and Gynecologists

President	*Frank C. Miller, MD*
Immediate Past President	*James P. Youngblood, MD*
President Elect	*W. Benson Harer, Jr, MD*
Vice President	*Joanna M. Cain, MD*
Treasurer	*John M. Gibbons, Jr, MD*
Secretary	*Michael T. Mennuti, MD*
Assistant Secretary	*Arsenio C. Comas, MD*

For information about *The American College of Obstetricians and Gynecologists*

The national office of The American College of Obstetricians and Gynecologists is at 409 12th Street SW, Washington, DC 20024–2188. All questions concerning the College may be sent to the Secretary, Michael T. Mennuti, MD, at that address. Forms for making application for Fellowship and information concerning any application already in process may be obtained there.

The appearance of advertising in publications of The American College of Obstetricians and Gynecologists (and/or in exhibits at meetings of the College) does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made for it by its manufacturer. Furthermore, reference to a product within a paper published by the College does not constitute a guarantee or endorsement of that product or its manufacturer's claims. The fact that a product, service, or company is advertised in a publication, cited in a paper, or exhibited at a meeting of the College shall not be referred to by the manufacturer in collateral advertising.

Contents of Volume 94

JULY

Gregory J. Locksmith, Penny Clark, Patrick Duff, & Gregory S. Schultz

Amniotic Fluid Matrix Metalloproteinase-9 Levels in Women With Preterm Labor and Suspected Intra-amniotic Infection 1

The concentration of matrix metalloproteinase-9 in amniotic fluid increases markedly and constantly in women with preterm labor and intra-amniotic infection.

Li-Cheng Lu & Chaur-Dong Hsu

Elevated Amniotic Fluid Nucleosome Levels in Women With Intra-amniotic Infection 7

Pregnant women with intra-amniotic infection had significantly higher amniotic fluid soluble nucleosome concentrations than those without intra-amniotic infection.

David S. McKenna, Stephanie W. Costa, & Philip Samuels

Prostaglandin E_2 Cervical Ripening Without Subsequent Induction of Labor 11

Intracervical prostaglandin E_2 gel decreases the interval to delivery and shortens labor in women with unfavorable cervices at term.

Virginia D. Steen

Pregnancy in Women With Systemic Sclerosis 15

Pregnant women with systemic sclerosis have increased risks of preterm births but not miscarriages or fetal deaths.

Jan Zetterström, Annika López, Bo Anzén, Margareta Norman, Bo Holmström, & Anders Mellgren

Anal Sphincter Tears at Vaginal Delivery: Risk Factors and Clinical Outcome of Primary Repair 21

Risk factors for anal sphincter injuries are identifiable and should be considered to decrease anal continence disturbances postpartum.

Peter A. Benn, John F. Rodis, & Tryfon Beazoglou

Cost-Effectiveness of Estimating Gestational Age by Ultrasonography in Down Syndrome Screening 29

First-trimester ultrasonography to confirm gestational age can be justified economically on the basis of improved efficiency of Down syndrome screening.

Jeffrey S. A. Stringer & Dwight J. Rouse

Rapid Testing and Zidovudine Treatment to Prevent Vertical Transmission of Human Immunodeficiency Virus in Unregistered Parturients: A Cost-Effectiveness Analysis 34

Rapid antibody testing and zidovudine treatment are potentially effective and cost-saving approaches to preventing vertical transmission of human immunodeficiency virus in unregistered parturients.

David M. Stamilio & George A. Macones

Selection of Delivery Method in Pregnancies Complicated by Autoimmune Thrombocytopenia: A Decision Analysis 41

Funipuncture is preferable to scalp sampling for fetal platelet testing to determine delivery mode in term pregnancies complicated by autoimmune thrombocytopenia.

Roger B. Newman, Harold Pierre, & James Scardo

Thoracic-Fluid Conductivity in Peripartum Women With Pulmonary Edema 48

Thoracic-fluid conductivity of at least 65 $kohm^{-1}$ measured by noninvasive thoracic electrical bioimpedance is associated with peripartum pulmonary edema.

Franco Polatti, Ezio Capuzzo, Franco Viazzo, Rossella Colleoni, & Catherine Klersy

Bone Mineral Changes During and After Lactation 52

Lactation duration of 6 months allows bone mass recovery in the subsequent year, regardless of calcium supplementation or duration of postpartum amenorrhea.

Fady I. Sharara & Howard D. McClamrock — **The Effect of Aging on Ovarian Volume Measurements in Infertile Women** — 57

Ovarian volume does not correlate with age or FSH levels, although women with small ovarian volumes may be at risk for impending ovarian failure.

Lars A. Mattsson, Heinz G. Bohnet, Thomas Gredmark, Joachim Torhorst, Friedhelm Hornig, & Gabriele Hüls — **Continuous, Combined Hormone Replacement: Randomized Comparison of Transdermal and Oral Preparations** — 61

Continuous, combined hormone replacement in a low-dose, transdermal application is equally effective and safe and induces amenorrhea to a similar extent as an oral formulation.

Jeanette S. Brown, Deborah Grady, Joseph G. Ouslander, A. Regula Herzog, R. Edward Varner, & Samuel F. Posner for the Heart & Estrogen/Progestin Replacement Study (HERS) Research Group — **Prevalence of Urinary Incontinence and Associated Risk Factors in Postmenopausal Women** — 66

Predictors of urge incontinence are increasing age, diabetes, and urinary tract infections; predictors of stress incontinence are white race, higher body-mass index, and higher waist-to-hip ratios.

Yumi Matsumoto, Tsuyoshi Iwasaka, Fumio Yamasaki, & Hajime Sugimori — **Apoptosis and Ki-67 Expression in Adenomyotic Lesions and in the Corresponding Eutopic Endometrium** — 71

Ectopic endometrium in adenomyotic lesions is influenced rarely by hormonal change and has different biologic and proliferative properties than these events in the eutopic endometrium.

Alessandro D. Santin, Paul L. Hermonat, Antonella Ravaggi, Sergio Pecorelli, Martin J. Cannon, & Groesbeck P. Parham — **Secretion of Vascular Endothelial Growth Factor in Adenocarcinoma and Squamous Cell Carcinoma of the Uterine Cervix** — 78

Cervical adenocarcinomas secrete significantly higher amounts of the angiogenic and immunosuppressive cytokine vascular endothelial growth factor compared with squamous cell cervical cancers.

Christopher M. Tarnay, Karen B. Glass, & Malcolm G. Munro — **Entry Force and Intra-abdominal Pressure Associated With Six Laparoscopic Trocar-Cannula Systems: A Randomized Comparison** — 83

A system designed to evaluate insertional force of laparoscopic trocar-cannula systems found that pyramidal-tipped trocars required the lowest insertional force.

Christopher M. Tarnay, Karen B. Glass, & Malcolm G. Munro — **Incision Characteristics Associated With Six Laparoscopic Trocar-Cannula Systems: A Randomized, Observer-Blinded Comparison** — 89

A system designed to evaluate the wounds of laparoscopic trocar-cannula systems found that those with blunt conical tips result in smaller fascial defects.

Päivi Härkki-Siren, Jari Sjöberg, & Tapio Kurki — **Major Complications of Laparoscopy: A Follow-Up Finnish Study** — 94

Without proper experience and training programs, laparoscopic hysterectomies are associated with the risk of major complications, unlike other laparoscopies.

Steven E. Swift & Eleanor A. Yoon — **Test-Retest Reliability of the Cough Stress Test in the Evaluation of Urinary Incontinence** — 99

The cough stress test is a reliable test in the evaluation of incontinent women, particularly in patients with pure genuine stress incontinence.

David A. Baker, James G. Blythe, & J. Mitchell Miller

Once-Daily Valacyclovir Hydrochloride for Suppression of Recurrent Genital Herpes 103

Valacyclovir hydrochloride (500 mg once daily) is an effective, well-tolerated, continuous, suppressive therapy for men and women with recurrent genital herpes.

Jenn J. Hsu, Te Y. Hsu, T'Sang T. Hsieh, Yung K. Soong, Fon J. Hsieh, & Kevin Spencer

Urine Free Beta-hCG and Total Estriol for Down Syndrome Screening During the Second Trimester in an Asian Population 107

Second-trimester free β-hCG and total estriol in the maternal urine are useful markers for Down syndrome screening in an Asian population.

Brian K. Rinehart, Dom A. Terrone, Christy M. Isler, J. Elaine Larmon, Kenneth G. Perry, Jr, & William E. Roberts

Modern Obstetric Management and Outcome of Infants With Gastroschisis 112

Outcomes of infants with gastroschisis are not affected by maternal-fetal medicine surveillance, mode of delivery, or site of delivery.

Edmund F. Funai, Michael J. Paidas, Andrei Rebarber, Loraine O'Neill, Todd J. Rosen, & Bruce K. Young

Change in Cervical Length After Prophylactic Cerclage 117

Prophylactic cerclage results in measurable increases in cervical length.

Joy D. Steinfeld, Catherine Lenkoski, Trudy Lerer, Joseph R. Wax, & Charles J. Ingardia

Neonatal Morbidity at 34–37 Weeks: The Role of Ruptured Membranes 120

Membrane status prior to the onset of labor does not significantly influence neonatal outcome in deliveries occurring between 34 and 37 weeks' gestation.

Jan A. Deprest, François I. Luks, Koen H. E. Peers, Jan D'Olieslager, & Rita Van Ginderdeuren

Natural Protective Mechanisms Against Endoscopic White-Light Injury in the Fetal Lamb Eye 124

The fetal lamb eye is well protected against endoscopic white-light injury.

Kimberly C. Price, Janet Shibley Hyde, & Christopher L. Coe

Matrilineal Transmission of Birth Weight in the Rhesus Monkey (*Macaca mulatta*) Across Several Generations 128

Birth weight in the rhesus monkey follows a matrilineal transmission pattern in which improvements in maternal condition result in larger, more reproductively successful daughters.

Beth M. Berlin, Mary E. Norton, Elaine A. Sugarman, Judith E. Tsipis, & Bernice A. Allitto

Cystic Fibrosis and Chromosome Abnormalities Associated With Echogenic Fetal Bowel 135

Fetal testing for cystic fibrosis and chromosome abnormalities is warranted when echogenic fetal bowel is detected in the second trimester.

Andrew Elimian, Uma Verma, & Nergesh Tejani

Effect of Causing Fetal Cardiac Asystole on Second-Trimester Abortion 139

Induced fetal death significantly reduces the interval to expulsion and the doses of prostaglandin E_2 required for second-trimester abortion.

Editorial

Dwight P. Cruikshank

Informed Consent, Patient Choice, and Physician Responsibility 142

The trend toward completely nondirective counseling is lamentable.

Graduate Education

Jeffrey F. Hines, Andrew J. Satin, Matrice Browne, Alicia Y. Armstrong, & William H. J. Haffner

Effect of Residency Program Merger on Undergraduate Medical Student Education in Obstetrics and Gynecology 144

Merger of residency programs does not adversely affect the quality of third-year medical student core clerkships.

Review

Ovadia Abulafia & David M. Sherer

Angiogenesis of the Endometrium 148

Angiogenesis actively participates in the development of normal cyclic regenerating endometrium and in a wide spectrum of benign and malignant pathologic conditions of the endometrium.

Hideo Udagawa, Yoshihiro Oshio, & Yoshikata Shimizu

Serious Group A Streptococcal Infection Around Delivery 153

The clinical course and pathogenesis of serious, perinatal, group A streptococcal infection are different from puerperal or other streptococcal toxic shock syndromes.

Letters 158

AUGUST

Herbert B. Peterson, Zhisen Xia, Lynne S. Wilcox, Lisa Ratliff Tylor, & James Trussell for the U.S. Collaborative Review of Sterilization Working Group

Pregnancy After Tubal Sterilization With Bipolar Electrocoagulation 163

The long-term probability of pregnancy after sterilization with bipolar electrocoagulation is low when the fallopian tube is coagulated adequately.

Nicole N. Varasteh, Robert S. Neuwirth, Bruce Levin, & Martin D. Keltz

Pregnancy Rates After Hysteroscopic Polypectomy and Myomectomy in Infertile Women 168

Hysteroscopic resection of polyps and myomas larger than 2 cm improves clinical pregnancy rates and live birth rates in infertile women.

Mona Saraiya, Clarice A. Green, Cynthia J. Berg, Frederick W. Hopkins, Lisa M. Koonin, & Hani K. Atrash

Spontaneous Abortion–Related Deaths Among Women in the United States—1981–1991 172

The risk of death from spontaneous abortion is increased for women over 35 years of age, of nonwhite race, and in the second trimester of pregnancy.

Julie A. Gazmararian, Toyia L. Arrington, Cathy M. Bailey, Katy S. Schwarz, & Jeffrey P. Koplan

Prenatal Care for Low-Income Women Enrolled in a Managed-Care Organization 177

Even when affordable care is available, many low-income women do not avail themselves of it.

Mark A. Turrentine & Mildred M. Ramirez

Adverse Perinatal Events and Subsequent Cesarean Rate 185

Obstetrician experience with intrapartum complications and poor neonatal outcomes results in higher cesarean delivery rate.

Seppo Heinonen & Pertti Kirkinen

Pregnancy Outcome With Intrahepatic Cholestasis 189

Intrahepatic cholestasis increases the risk of preterm delivery and the need for neonatal care.

Paula A. Radon, Michael J. McMahon, & William R. Meyer

Impaired Glucose Tolerance in Pregnant Women With Polycystic Ovary Syndrome 194

Women with polycystic ovary syndrome are at increased risk for glucose intolerance and preeclampsia during pregnancy.

Richard W. Lieberman, Michael R. Henry, William B. Laskin, Joanne Walenga, Sally-Beth Buckner, & Dennis M. O'Connor

Colposcopy in Pregnancy: Directed Brush Cytology Compared With Cervical Biopsy 198

In the absence of lesions clinically suspicious for invasive carcinoma, directed brush cytology is a safe, valuable adjunct to colposcopic evaluation of the pregnant cervix.

Madhabika B. Nayak & Majda Al-Yattama

Assault Victim History as a Factor in Depression During Pregnancy 204

Assault victim history is associated with increased severity of self-reported depression in pregnant women, even after effects of other psychosocial stressors are controlled for.

François Gardeil, Richard Greene, Bernard Stuart, & Michael J. Turner

Subcutaneous Fat in the Fetal Abdomen as a Predictor of Growth Restriction 209

Sonographic measurement of subcutaneous fat in the fetal abdomen might help predict fetal growth restriction irrespective of fetal weight.

W. L. Huang, L. D. Beazley, J. A. Quinlivan, S. F. Evans, J. P. Newnham, & S. A. Dunlop

Effect of Corticosteroids on Brain Growth in Fetal Sheep 213

Single or repeated courses of exogenous corticosteroids given to pregnant sheep delay fetal brain growth.

Päivi Polo-Kantola, Risto Erkkola, Kerttu Irjala, Hans Helenius, Sirkku Pullinen, & Olli Polo

Climacteric Symptoms and Sleep Quality 219

Climacteric symptoms are associated with subjective but not objective changes in sleep quality.

Helene B. Leonetti, Santo Longo, & James N. Anasti

Transdermal Progesterone Cream for Vasomotor Symptoms and Postmenopausal Bone Loss 225

Transdermal progesterone cream is effective for controlling vasomotor symptoms but has no apparent effect on bone mineral density.

P. Albertazzi, F. Pansini, M. Bottazzi, G. Bonaccorsi, D. De Aloysio, & M. S. Morton

Dietary Soy Supplementation and Phytoestrogen Levels 229

Phytoestrogen levels increase with soy supplementation in climacteric women but do not correlate with a decrease in the number of hot flushes.

David C. Foster, Mary Palmer, & Jane Marks

Effect of Vulvovaginal Estrogen on Sensorimotor Response of the Lower Genital Tract: A Randomized Controlled Trial 232

Topical estrogen applied to the vulvar vestibule in postmenopausal women improves sensation in treated areas.

Ceana H. Nezhat, Farr Nezhat, Andrew I. Brill, & Camran Nezhat

Normal Variations of Abdominal and Pelvic Anatomy Evaluated at Laparoscopy 238

Right and left pelvic anatomy are not necessarily mirror images when seen through the laparoscope and might vary by body mass index.

Mika Nuutila, Vilho Hiilesmaa, Tytti Kärkkäinen, Olavi Ylikorkala, & Eeva-Marja Rutanen

Phosphorylated Isoforms of Insulin-Like Growth Factor Binding Protein-1 in the Cervix as a Predictor of Cervical Ripeness 243

The phosphoisoforms of insulin-like growth factor binding protein-1 in the cervical secretion, different from those in the amniotic fluid, reflect cervical ripeness at term.

William F. Rayburn, Lisa N. Gittens, Michael J. Lucas, Stanley A. Gall, & Maria E. Martin for the Prepidil Gel Study Group

Weekly Administration of Prostaglandin E_2 Gel Compared With Expectant Management in Women With Previous Cesareans 250

Intracervical prostaglandin E_2 gel is safe when given weekly to outpatients with previous cesareans but does not improve the likelihood of vaginal births.

Daniel V. Surbek, Peter M. Fehr, Irene Hösli, & Wolfgang Holzgreve

Oral Misoprostol for Third Stage of Labor: A Randomized Placebo-Controlled Trial 255

Misoprostol administered orally in the third stage of labor reduces estimated postpartum blood loss.

Julian N. Robinson, Errol R. Norwitz, Amy P. Cohen, Thomas F. McElrath, & Ellice S. Lieberman

Epidural Analgesia and Third- or Fourth-Degree Lacerations in Nulliparas 259

Epidural analgesia indirectly is associated with increases in the rate of third- and fourth-degree obstetric lacerations because of the increased frequency of operative vaginal delivery and episiotomy.

Neal G. Mahutte, Lynn Murphy-Kaulbeck, Quynh Le, Julia Solomon, Alice Benjamin, & Mark E. Boyd

Obstetric Admissions to the Intensive Care Unit 263

Admission to the intensive care unit may be a useful marker of major maternal morbidity.

Scott C. Dexter, Maureen P. Malee, Halit Pinar, Joseph W. Hogan, Marshall W. Carpenter, & Betty R. Vohr

Influence of Chorioamnionitis on Developmental Outcome in Very Low Birth Weight Infants 267

Despite higher rates of sepsis and low Apgar scores, no difference in developmental outcome at 7 months of corrected age is detected in very low birth weight infants delivered after exposure to chorioamnionitis.

James M. Alexander, Donald M. McIntire, & Kenneth J. Leveno

Chorioamnionitis and the Prognosis for Term Infants 274

The main short-term neonatal consequence of chorioamnionitis is infection; neurologic morbidity is related to labor complications and not chorioamnionitis per se.

Toshinori Fujino, Ichiro Iwamoto, Hirofumi Otsuka, Toshiro Ikeda, Shunji Takesako, & Yukihiro Nagata

Apoptosis in Placentas From Human T-Lymphotropic Virus Type I–Seropositive Pregnant Women: A Possible Defense Mechanism Against Transmission From Mother to Fetus 279

Human T-lymphotropic virus type I infection induces apoptosis in the placenta.

Alfredo M. Germain, Jorge Carvajal, Marta Sanchez, Guillermo J. Valenzuela, Harumi Tsunekawa, & Benedicto Chuaqui

Preterm Labor: Placental Pathology and Clinical Correlation 284

Placental ischemia is a frequent cause of preterm labor, and patients presenting with ischemia or infection often have an adverse perinatal outcome.

Alistair Roberts, Simona Nava, Luisa Bocconi, Sarah Salmona, & Umberto Nicolini

Liver Function Tests and Glucose and Lipid Metabolism in Growth-Restricted Fetuses 290

Severely growth-restricted fetuses have abnormal liver function, low plasma glucose, and high triglyceride levels.

Stavros Athanasiou, Vik Khullar, Kelvin Boos, Stefano Salvatore, & Linda Cardozo

Imaging the Urethral Sphincter With Three-Dimensional Ultrasound 295

The urethral sphincter, imaged and measured reliably with three-dimensional ultrasound, is smaller in women with genuine stress incontinence than in continent women.

Alberto E. Selman, Theodore H. Niemann, Jeffrey M. Fowler, & Larry J. Copeland

Quality Assurance of Second Opinion Pathology in Gynecologic Oncology 302

Review of interinstitutional pathologic material before the initiation of therapy revealed significant discrepancies influencing treatment planning and prognosis.

Clinical Commentary

George F. Sawaya & David A. Grimes

New Technologies in Cervical Cytology Screening: A Word of Caution 307

New technologies for cervical cancer screening have not received appropriate evaluation, and their impact on overall cervical cancer morbidity and mortality is likely small.

Judith U. Hibbard, Marshall Lindheimer, & Roberto M. Lang

A Modified Definition for Peripartum Cardiomyopathy and Prognosis Based on Echocardiography 311

Our new criteria for diagnosing peripartum cardiomyopathy incorporate strict echocardiographic criteria and clinical characteristics with serial and stress echocardiography suggested for prognosis.

Graduate Education

William J. Mann, Jr, Karen Bruder, Charles Frazier, & Paul Evans

A 5-Year Residency Curriculum in Obstetrics, Gynecology, and Family Medicine 317

A 5-year residency curriculum in obstetrics and gynecology and family medicine is presented.

Letters 321

SEPTEMBER

David F. Archer, Maxine H. Dorin, Wayne Heine, Nayan Nanavati, & Joan-Carles Arce for the Endometrium Study Group

Uterine Bleeding in Postmenopausal Women on Continuous Therapy With Estradiol and Norethindrone Acetate 323

Norethindrone acetate reduces the incidence of uterine bleeding in a dose-dependent fashion in postmenopausal women in continuous combined hormone replacement therapy.

S. R. Weiss, H. Ellman, & M. Dolker for the Transdermal Estradiol Investigator Group

A Randomized Controlled Trial of Four Doses of Transdermal Estradiol for Preventing Postmenopausal Bone Loss 330

Transdermal estradiol doses of 0.025, 0.05, 0.06, and 0.1 mg per day effectively prevent bone loss in postmenopausal women.

Tsutomu Douchi, Shinako Yamamoto, Toshimichi Oki, Kuninori Maruta, Riki Kuwahata, & Yukihiro Nagata

Serum Androgen Levels and Muscle Mass in Women With Polycystic Ovary Syndrome 337

In women with polycystic ovary syndrome, muscle size correlates positively with serum androgen levels and upper body–fat distribution, independent of height.

Paolo Vercellini, Barbara Zàina, Lara Yaylayan, Anna Pisacreta, Olga De Giorgi, & Pier Giorgio Crosignani

Hysteroscopic Myomectomy: Long-Term Effects on Menstrual Pattern and Fertility 341

Hysteroscopic myomectomy is safe, provides satisfactory menorrhagia control, and limits lesion recurrence but has little benefit for infertility.

Octacilio Figueiredo, Netto, Eduardo G. Figueiredo, Priscilla G. Figueiredo, Marco Antonio Pelosi, III, & Marco Antonio Pelosi

Vaginal Removal of the Benign Nonprolapsed Uterus: Experience With 300 Consecutive Operations 348

Vaginal hysterectomy is a highly effective way to remove benign nonprolapsed uteri.

Susan J. Stagno, Heidi Forster, & Jerome Belinson

Medical and Osteopathic Boards' Positions on Chaperones During Gynecologic Examinations 352

Medical boards lack uniformity in providing guidance for physicians on chaperone use.

Aleksandar Rajkovic, Kassam Mahomed, M. Rene Malinow, Tanya K. Sorenson, Godfrey B. Woelk, & Michelle A. Williams

Plasma Homocyst(e)ine Concentrations in Eclamptic and Preeclamptic African Women Postpartum 355

Postpartum plasma homocyst(e)ine concentrations were higher in eclamptic and preeclamptic African women than in normotensive African women.

Yasumasa Ohno, Michiyasu Kawai, Yasunori Wakahara, Takeshi Kitagawa, Masaki Kakihara, & Yoshitaro Arii

Ophthalmic Artery Velocimetry in Normotensive and Preeclamptic Women With or Without Photophobia 361

Pulsatility index is lower and mean velocity of ophthalmic artery is higher in preeclamptic women compared with normal women.

William M. Barron, Paul Heckerling, Judith U. Hibbard, & Susan Fisher

Reducing Unnecessary Coagulation Testing in Hypertensive Disorders of Pregnancy 364

If the platelet count and serum lactate dehydrogenase level are normal, and there is no evident bleeding when evaluating a woman for preeclampsia, measurement of prothrombin time, activated partial thromboplastin time, and fibrinogen is unnecessary.

L. Stewart Massad & Peter M. Meyer

Predicting Compliance With Follow-up Recommendations After Colposcopy Among Indigent Urban Women 371

Among urban, indigent women, the nature of the management recommendations is the best predictor of compliance after colposcopy.

Christine H. Holschneider, Kris Ghosh, & F. J. Montz

See-and-Treat in the Management of High-Grade Squamous Intraepithelial Lesions of the Cervix: A Resource Utilization Analysis 377

See-and-treat offers significant resource savings over conventional methods of evaluation and treatment of women with high-grade squamous intraepithelial lesions found on cervical cytology.

John O. Schorge, Kenneth R. Lee, Sandra J. Lee, Cynthia E. Flynn, Annekathryn Goodman, & Ellen E. Sheets

Early Cervical Adenocarcinoma: Selection Criteria for Radical Surgery 386

Radical surgery for clinical stage IB_1 cervical adenocarcinoma and primary radiotherapy for stage IB_2–IIA disease would avoid combined-modality therapy, thereby reducing treatment-related toxicity and cost.

Mitchel S. Hoffman, Michael Parsons, Sivaselvi Gunasekaran, & Denis Cavanagh

Distal External Iliac Lymph Nodes in Early Cervical Cancer 391

Lymph nodes are found distal to the deep circumflex iliac vein in most women with early cervical cancer, and some may be positive.

Francesca Chiaffarino, Fabio Parazzini, Carlo La Vecchia, Liliane Chatenoud, Elisabetta Di Cintio, & Silvia Marsico

Diet and Uterine Myomas 395

Women with uterine myomas more frequently consume meat and ham and less frequently consume green vegetables, fruit, and fish than do controls.

David E. Seubert, Ian M. Thompson, & Bernard Gonik

Partner Notification of Sexually Transmitted Disease in an Obstetric and Gynecologic Setting 399

Educational efforts are needed to promote awareness among obstetrician-gynecologists of the importance of partner notification for women with sexually transmitted diseases.

C. C. Lees, A. Lojacono, C. Thompson, L. Danti, R. S. Black, P. Tanzi, I. R. White, & S. Campbell for the GTN Preterm Labour Investigation Group

Glyceryl Trinitrate and Ritodrine in Tocolysis: An International Multicenter Randomized Study 403

Transdermal glyceryl trinitrate and intravenous ritodrine are similar in prolonging gestation in preterm labor.

Myriam Brassard, Jean-Claude Fouron, Line Leduc, Andrée Grignon, & Francine Proulx

Prognostic Markers in Twin Pregnancies With an Acardiac Fetus 409

In pregnancies with a normal fetus and an acardiac twin, hemodynamic criteria could help in choosing therapeutic options, expectant or interventional.

Anna Sienko & Geoffrey Altshuler

Meconium-Induced Umbilical Vascular Necrosis in Abortuses and Fetuses: A Histopathologic Study for Cytokines 415

In the second trimester and later, fetal mortality or morbidity might result from meconium, umbilical vascular necrosis, and access of cytokines to fetal circulation.

Michael L. Power, Gerald B. Holzman, & Jay Schulkin

Knowledge and Clinical Practice Regarding Calcium Nutrition Among Obstetrician-Gynecologists 421

Among obstetrician-gynecologists, age, gender, and attitude toward nutrition influence knowledge of and clinical practice related to calcium nutrition.

Sangchai Preutthipan & Yongyoth Herabutya

A Randomized Controlled Trial of Vaginal Misoprostol for Cervical Priming Before Hysteroscopy 427

Vaginal misoprostol reduces the need to dilate the cervix before hysteroscopy.

Kuldip Singh, Y. F. Fong, R. N. V. Prasad, & F. Dong

Evacuation Interval After Vaginal Misoprostol for Preabortion Cervical Priming: A Randomized Trial 431

The interval from application of misoprostol to evacuation should be at least 3 hours for successful preabortion cervical priming.

Stephen J. Fortunato, Ramkumar Menon, & Salvatore J. Lombardi

Stromelysins in Placental Membranes and Amniotic Fluid With Premature Rupture of Membranes 435

Human amniochorion expresses stromelysin messenger RNA, and stromelysin 1 is elevated in amniotic fluid from women with preterm premature rupture of membranes and after lipopolysaccharide stimulation in culture.

Lily S. Tashima, Lynnae K. Millar, & Gillian D. Bryant-Greenwood

Genes Upregulated in Human Fetal Membranes by Infection or Labor 441

Genes in the human fetal membranes that are upregulated by infection or labor can be identified by the method of suppression subtractive hybridization.

A. P. Souka, V. Heath, S. Flint, I. Sevastopoulou, & K. H. Nicolaides — **Cervical Length at 23 Weeks in Twins in Predicting Spontaneous Preterm Delivery** 450

Measurement of cervical length at 23 weeks' gestation in twin pregnancies helps predict risk of severe preterm delivery.

David C. Merrill & Frank J. Zlatnik — **Randomized, Double-Masked Comparison of Oxytocin Dosage in Induction and Augmentation of Labor** 455

When used in a double-masked fashion, high-dose oxytocin is associated with significantly shorter labors without any demonstrable adverse fetal or neonatal effects.

Pao-Lin Kuo & How-Ran Guo — **Nucleated Red Blood Cells in Maternal Blood During Pregnancy** 464

The number of nucleated red blood cells in maternal blood increases as gestation advances, regardless of maternal-fetal blood type compatibility or fetal gender.

Instruments & Methods

Shiro Ishii & Masahiro Endo — **Blunt-Edged, Notched Scalpel for Cesarean Incision** 469

A new blunt-edged, notched scalpel used to incise the uterus during cesarean delivery prevents fetal penetrating injuries.

Clinical Commentary

David A. Grimes & Elizabeth G. Raymond — **Bundling a Pregnancy Test With the Yuzpe Regimen of Emergency Contraception** 471

Bundling a pregnancy test with emergency contraceptive pills is medically unnecessary and paradoxically may deter some women from using the pills.

Graduate Education

Keith O. Reeves, Amy E. Young, & Raymond H. Kaufman — **A Simple, Inexpensive Device for Teaching the Loop Electrosurgical Excision Procedure** 474

A simple, inexpensive device for teaching the loop electrosurgical excision procedure uses a cardboard tube and sausage.

Loyd E. Williford, Frank W. Ling, Robert L. Summitt, Jr, & Thomas G. Stovall — **Practice Management in Obstetrics and Gynecology Residency Curriculum** 476

Residency programs in obstetrics and gynecology should establish a formal curriculum in practice management using internal or external expertise.

Letters 480

OCTOBER

W. Marchien van Baal, Raimond G. V. Smolders, Marius J. van der Mooren, Tom Teerlink, & Peter Kenemans — **Hormone Replacement Therapy and Plasma Homocysteine Levels** 485

Homocysteine concentrations are lowered 9.4% by combined estradiol-progestogen and 5.1% by unopposed estradiol therapy, and women with high levels at baseline benefit the most.

Akihiko Wakatsuki, Nobuo Ikenoue, Yuji Okatani, & Chiaki Izumiya — **Lipid Transfer Reactions and Lipid Composition of Low-Density Lipoprotein Particles in Postmenopausal Women Receiving Estrogen** 492

An increase in plasma triglyceride levels induced by estrogen therapy may enhance lipid transfer reactions, resulting in triglyceride-rich and cholesteryl ester–poor low-density lipoprotein particles in postmenopausal women.

David F. Archer, Katharine Furst, Diane Tipping, Marie-Paule Dain, & Christine Vandepol for the CombiPatch Study Group

A Randomized Comparison of Continuous Combined Transdermal Delivery of Estradiol-Norethindrone Acetate and Estradiol Alone for Menopause 498

Continuous transdermal estradiol-norethindrone acetate is safe and effective hormone replacement therapy in healthy postmenopausal women.

Briggs W. Morrison, Stephen E. Daniels, Paul Kotey, Norma Cantu, & Beth Seidenberg

Rofecoxib, a Specific Cyclooxygenase-2 Inhibitor, in Primary Dysmenorrhea: A Randomized Controlled Trial 504

Rofecoxib effectively treats primary dysmenorrhea, showing that cyclooxygenase-2–derived prostanoids are important in its pathophysiology.

Elizabeth A. Howell, Ya-Ting Chen, & John Concato

Differences in Cervical Cancer Mortality Among Black and White Women 509

Differences in stage of disease and treatment patterns only partially explain differences in mortality between black and white women with cervical cancer.

Mia Clevenger-Hoeft, Craig H. Syrop, Dale W. Stovall, & Bradley J. Van Voorhis

Sonohysterography in Premenopausal Women With and Without Abnormal Bleeding 516

Uterine polyps and myomas are more common in premenopausal women with abnormal bleeding than in asymptomatic women.

Paolo Vercellini, Sabina Oldani, Lara Yaylayan, Barbara Zaina, Olga De Giorgi, & Pier Giorgio Crosignani

Randomized Comparison of Vaporizing Electrode and Cutting Loop for Endometrial Ablation 521

Endometrial ablation with a vaporizing electrode limits fluid absorption compared with resection with the standard cutting loop.

John L. Powell, Dorigen K. Kasparek, & G. Patrick Connor

Panniculectomy to Facilitate Gynecologic Surgery in Morbidly Obese Women 528

Abdominal panniculectomy in conjunction with pelvic surgery in morbidly obese women is safe and useful.

John R. Fischer & Paul H. Berg

Urinary Incontinence in United States Air Force Female Aircrew 532

Flying high-performance military aircraft does not appear to increase a woman's risk of urinary incontinence.

Arlene D. Bardeguez, Edward Connor, Richard Stephens, Thomas N. Denny, Bart Holland, & James Oleske

Effect of Human Immunodeficiency Virus Infection on Serum Beta$_2$-Microglobulin Levels in Pregnant Women 537

Human immunodeficiency virus is the most statistically significant cause of increases of serum β_2-microglobulin levels in pregnant women.

Ravi Thadhani, Meir J. Stampfer, David J. Hunter, Joann E. Manson, Caren G. Solomon, & Gary C. Curhan

High Body Mass Index and Hypercholesterolemia: Risk of Hypertensive Disorders of Pregnancy 543

Pregravid high body mass and hypercholesterolemia are independent risk factors for hypertensive disorders of pregnancy.

Mustafa Başbuğ, Ercan Aygen, Mehmet Tayyar, Ahmet Tutuş, Erdal Kaya, & Özgür Öktem

Correlation Between Maternal Thyroid Function Tests and Endothelin in Preeclampsia-Eclampsia 551

Moderate decreases in thyroid hormone levels with concomitant increases in TSH levels correlate with the severity of preeclampsia-eclampsia and high plasma levels of endothelin.

Alessandro Caruso, Sergio Ferrazzani, Sara De Carolis, Angela Lucchese, Antonio Lanzone, & Giancarlo Paradisi

Carbohydrate Metabolism in Gestational Diabetes: Effect of Chronic Hypertension 556

Gestational diabetes with concomitant long-term hypertension is characterized by higher insulin resistance than normotensive gestational diabetes.

Carol A. Lennon & Diana L. Gray

Sensitivity and Specificity of Ultrasound for the Detection of Neural Tube and Ventral Wall Defects in a High-Risk Population 562

Prenatal sonography is highly sensitive and specific for the diagnosis of fetal neural tube and ventral wall defects in a high-risk population.

John B. Lopoo, Ruth B. Goldstein, Gerald S. Lipshutz, James D. Goldberg, Michael R. Harrison, & Craig T. Albanese

Fetal Pulmonary Sequestration: A Favorable Congenital Lung Lesion 567

Prenatally diagnosed pulmonary sequestrations are a subset of congenital lung lesions with excellent perinatal prognosis.

Rebecca S. Black, Christoph Lees, Catherine Thompson, Andrew Pickles, & Stuart Campbell

Maternal and Fetal Cardiovascular Effects of Transdermal Glyceryl Trinitrate and Intravenous Ritodrine 572

Transdermal glyceryl trinitrate has significantly fewer maternal and fetal cardiovascular side effects than intravenous ritodrine at doses required for tocolysis.

Winston W. K. Koo, Jocelyn C. Walters, Joy Esterlitz, Richard J. Levine, Andrew J. Bush, & Baha Sibai

Maternal Calcium Supplementation and Fetal Bone Mineralization 577

Calcium supplementation in women with low dietary calcium intake increases fetal bone mineral content.

Kurt T. Barnhart, Hyagiv Simhan, & Scott A. Kamelle

Diagnostic Accuracy of Ultrasound Above and Below the Beta-hCG Discriminatory Zone 583

Ultrasound has low sensitivity, predictive value, and accuracy for diagnosing pregnancy and complications in women with β-hCG levels below the discriminatory zone.

Z. Selcuk Tuncer, Marilyn R. Bernstein, Donald P. Goldstein, Karen H. Lu, & Ross S. Berkowitz

Outcome of Pregnancies Occurring Within 1 Year of Hydatidiform Mole 588

Pregnancies occurring before the completion of the recommended 6-month gonadotropin follow-up may be allowed to continue under careful surveillance.

Max Mongelli & Jason Gardosi

Symphysis-Fundus Height and Pregnancy Characteristics in Ultrasound-Dated Pregnancies 591

Gestational age, maternal weight, parity, and fetal sex explain half of the variability in symphysis-fundus height measurements.

Pelle Lindqvist, Björn Dahlbäck, & Karel Marŝál

Thrombotic Risk During Pregnancy: A Population Study 595

Venous thromboembolic events during pregnancy are associated with cesarean delivery, smoking, and preeclampsia.

Stacy T. Seyb, Ronald J. Berka, Michael L. Socol, & Sharon L. Dooley

Risk of Cesarean Delivery With Elective Induction of Labor at Term in Nulliparous Women 600

The elective induction of nulliparous women at term is associated with nearly a two-fold increase in the risk of cesarean delivery compared with nulliparous women undergoing spontaneous labor.

M. Ann Laskey & Ann Prentice — **Bone Mineral Changes During and After Lactation** 608

Bone mineral decreases temporarily at specific skeletal sites during lactation but reverses as lactation declines and menstruation resumes.

Mary E. Cogswell, Kelley S. Scanlon, Sara Beck Fein, & Laura A. Schieve — **Medically Advised, Mother's Personal Target, and Actual Weight Gain During Pregnancy** 616

Women who report receiving no medical advice or advice outside the recommended range for pregnancy weight gain are likely to gain outside the recommended range.

Instruments & Methods

Wolfgang M. J. Schoell, Michael Klintschar, Ramin Mirhashemi, & Barbara Pertl — **Separation of Sperm and Vaginal Cells With Flow Cytometry for DNA Typing After Sexual Assault** 623

Sorting of spermatocytes and vaginal cells with flow cytometry enhances DNA typing after sexual assault.

Daniel A. Tsin & Liliana T. Colombero — **Laparoscopic Leash: A Simple Technique to Prevent Specimen Loss During Operative Laparoscopy** 628

During laparoscopy, attaching a leash to specimens left in the abdomen for later extraction prevents specimen loss.

Clinical Commentary

Gilles R. G. Monif — **The Great Douching Debate: To Douche or Not to Douche** 630

The contention that vaginal douching causes chlamydial infection and its potential sequelae is challenged by microbiologic data.

Graduate Education

Douglas W. Laube & Frank W. Ling — **Primary Care in Obstetrics and Gynecology Resident Education: A Baseline Survey of Residents' Perceptions and Experiences** 632

Before implementation of recent residency accreditation standards, residents regarded obstetrics and gynecology as a primary care specialty and thought they would provide those services in practice.

Letters 637

NOVEMBER (PART 1)

Joseph P. McGowan, Marilyn Crane, Andrew A. Wiznia, & Steve Blum — **Combination Antiretroviral Therapy in Human Immunodeficiency Virus–Infected Pregnant Women** 641

Combination antiretroviral therapy during pregnancy is associated with successful viral load reduction, CD4 increase, and lack of perinatal transmission of human immunodeficiency virus.

Margaret Polaneczky, Michelle Cadogan, Kathleen McGuinness, & Melissa Waterstone — **State-Mandated Voluntary Newborn Human Immunodeficiency Virus Screening in a New York City Hospital** 647

Despite marked differences in antepartum human immunodeficiency virus screening practices between hospital-based and private practices, voluntary newborn human immunodeficiency virus screening had no additional impact because of aggressive antepartum screening in the former and low rates of infection in the latter.

Michael E. Hagensee, Joseph Slavinsky, III, Christopher M. Gaffga, Jose Suros, Patricia Kissinger, & David H. Martin — **Seroprevalence of Human Papillomavirus Type 16 in Pregnant Women** 653

Antibodies against capsid antigens of human papillomavirus type 16 are associated with indicators of sexual activity in a large cohort of pregnant women.

Erica Frank, John Rock, & Danielle Sara — **Characteristics of Female Obstetrician-Gynecologists in the United States** 659

Obstetrician-gynecologists have high incomes and good career satisfaction compared with other women physicians and spend less time on nongynecologic prevention counseling and domestic activities.

Erica Frank — **Contraceptive Use by Female Physicians in the United States** 666

Female physicians use contraception differently than do women in the general population, in ways consistent with delaying and reducing total fertility.

Joseph B. Stanford, Poppy B. Thurman, & Janis C. Lemaire — **Physicians' Knowledge and Practices Regarding Natural Family Planning** 672

Most physicians underestimate the effectiveness of natural family planning, and half do not include it among family planning options discussed with their patients.

Terhi Saisto, Olavi Ylikorkala, & Erja Halmesmäki — **Factors Associated With Fear of Delivery in Second Pregnancies** 679

Emergency cesarean, vacuum extraction, or intervention in the third stage of labor during first deliveries leads to fear about subsequent deliveries.

Deborah A. Wing, Colleen M. Hendershott, Laurie Debuque, & Lynnae K. Millar — **Outpatient Treatment of Acute Pyelonephritis in Pregnancy After 24 Weeks** 683

Acute pyelonephritis after 24 weeks' gestation has similar outcomes whether treated on an outpatient or inpatient basis, although outpatient therapy is less likely to be applicable.

Charlotte Chaliha, Veena Kalia, Stuart L. Stanton, Ash Monga, & Abdul H. Sultan — **Antenatal Prediction of Postpartum Urinary and Fecal Incontinence** 689

Clinical markers of collagen weakness such as striae, hernia, joint hypermobility, and varicose veins do not predict postpartum incontinence.

William F. Ziegler, Ira Bernstein, Gary Badger, Thomas Leavitt, & Mary Lou Cerrero — **Regional Hemodynamic Adaptation During the Menstrual Cycle** 695

Uterine perfusion undergoes hemodynamic adaptations during the menstrual cycle that are unique compared with the systemic circulation.

Shawna Brizzolara, Jeffrey Killeen, & Richard Severino — **Vaginal pH and Parabasal Cells in Postmenopausal Women** 700

A vaginal pH exceeding 6.0 correlates significantly with high levels of parabasal cells from the midvagina.

Gamal H. Eltabbakh, M. Steven Piver, Ronald E. Hempling, & Fernando O. Recio — **Laparoscopic Surgery in Obese Women** 704

In women with high body mass indices, operative laparoscopy is associated with an increased chance of procedure conversion to laparotomy but is otherwise safe and feasible.

D. Paul Shackelford, David Griffin, Matthew K. Hoffman, & D. E. Darnell Jones — **Influence of Specialty on Pathology Resource Use in Evaluation of Cervical Dysplasia** 709

Gynecologists and nongynecologists are equally capable of locating cervical dysplasia, but nongynecologists use two to three times more pathology resources, specimens, and attendant interpretations.

Philip P. Connell, Jacob Rotmensch, Steve E. Waggoner, & Arno J. Mundt — **Race and Clinical Outcome in Endometrial Carcinoma** 713

Black women with endometrial cancer have worse outcomes than do white women, even after controlling for clinicopathologic factors and socioeconomic status.

Lina O. Chichakli, Hani K. Atrash, Andrea P. MacKay, Altaf S. Musani, & Cynthia J. Berg

Pregnancy-Related Mortality in the United States Due to Hemorrhage: 1979–1992 721

Hemorrhage is the leading cause of pregnancy-related deaths in the United States, with increased risk of death with age and among black women.

Tami Kent, Jennifer Gregor, Laila Deardorff, & Vern Katz

Edema of Pregnancy: A Comparison of Water Aerobics and Static Immersion 726

Water aerobics and static immersion were equally effective in reducing edema.

Robert B. Gherman, T. Murphy Goodwin, Belinda Leung, James D. Byrne, Rehena Hethumumi, & Martin Montoro

Incidence, Clinical Characteristics, and Timing of Objectively Diagnosed Venous Thromboembolism During Pregnancy 730

The incidence of venous thromboembolism during pregnancy is lower than has been described previously.

Thomas D. Shipp, Carolyn M. Zelop, John T. Repke, Amy Cohen, Aaron B. Caughey, & Ellice Lieberman

Intrapartum Uterine Rupture and Dehiscence in Patients With Prior Lower Uterine Segment Vertical and Transverse Incisions 735

Gravidas undergoing a trial of labor after cesarean delivery with a prior low vertical uterine incision are not at increased risk for uterine rupture compared with women with a prior low transverse uterine incision.

Edith C. Kieffer, George H. Nolan, Wendy J. Carman, Cathy Z. Sanborn, Ricardo Guzman, & Allison Ventura

Glucose Tolerance During Pregnancy and Birth Weight in a Hispanic Population 741

The maternal glucose level is independently associated with mean birth weight and the risk of large for gestational age and small for gestational age births in Hispanic women.

Frederick W. Hopkins, Andrea P. MacKay, Lisa M. Koonin, Cynthia J. Berg, Molly Irwin, & Hani K. Atrash

Pregnancy-Related Mortality in Hispanic Women in the United States 747

Hispanic women in the United States have higher pregnancy-related mortality ratios than non-Hispanic white women but lower ratios than black women.

Jörg Ersch & Thomas Stallmach

Assessing Gestational Age From Histology of Fetal Skin: An Autopsy Study of 379 Fetuses 753

Fetal skin development is independent of most genetic and environmental disturbances, and histologic examination can reveal gestational age by the morphologic patterns of skin appendages.

Britt Clausson, Sven Cnattingius, & Ove Axelsson

Outcomes of Post-term Births: The Role of Fetal Growth Restriction and Malformations 758

Adverse outcomes in post-term pregnancies are due partly to an increased rate of small for gestational age births.

Marie-France N. Delisle, George G. S. Sandor, Francine Tessier, & Duncan F. Farquharson

Outcome of Fetuses Diagnosed With Atrioventricular Septal Defect 763

The likelihood of trisomy 21 being associated with an atrioventricular septal defect is stronger if the cardiac lesion is isolated than if there are other associated cardiac defects.

Shigeharu Doi, Hisao Osada, Katsuyoshi Seki, & Souei Sekiya

Relationship of Amniotic Fluid Index and Cord Blood Erythropoietin Levels in Small for and Appropriate for Gestational Age Fetuses 768

Low amniotic fluid index correlates with the degree of elevation in cord blood erythropoietin levels in small for gestational age fetuses but not in appropriate for gestational age fetuses.

Joseph R. Biggio, Jr, Katharine D. Wenstrom, Mary B. Dubard, & Suzanne P. Cliver

Hydramnios Prediction of Adverse Perinatal Outcome 773

Hydramnios during the third trimester in women who do not have diabetes indicates an increased risk of perinatal mortality and fetal structural abnormalities.

Marshall W. Carpenter, Jacob A. Canick, Jami A. Star, Curt Shellum, & Margaret Somers

A High-Sensitivity Assay for Amniotic Fluid Insulin at 14–20 Weeks' Gestation 778

An immunochemiluminomimetric assay demonstrated $\log_{10}$ Gaussian insulin concentrations in 14–20 week amniotic fluid at greater than eight-fold the assay detection limit and stability for 70 days.

Gary A. Aisenbrey, Val A. Catanzarite, & Craig Nelson

External Cephalic Version: Predictors of Success 783

Uterine tone is an important predictor of successful external cephalic version.

Dan Sherman, Samuel Lurie, Moshe Betzer, Yocheved Pinhasi, Shlomo Arieli, & Ida Boldur

Uterine Flora at Cesarean and Its Relationship to Postpartum Endometritis 787

Intraoperative and postoperative sampling of the uterine cavity might help diagnose postcesarean endometritis.

Instruments & Methods

David E. Seubert, Karoline S. Puder, Phillip Goldmeier, & Bernard Gonik

Colonoscopic Release of the Incarcerated Gravid Uterus 792

Colonoscopic release of the incarcerated gravid uterus is a less invasive procedure for the patient refractory to reduction by conventional methods than surgical intervention.

Clinical Commentary

Marie C. McCormick, Ezra C. Davidson, Jr, & Michael A. Soto for the Committee on Perinatal Transmission of HIV

Preventing Perinatal Transmission of Human Immunodeficiency Virus in the United States 795

To prevent perinatal transmission of human immunodeficiency virus, the United States should adopt universal human immunodeficiency virus testing with patient notification as a routine component of prenatal care.

Jami Star, Raymond Powrie, & Susan Cu-Uvin

Should Women with Human Immunodeficiency Virus Be Delivered by Cesarean? 799

The optimal mode of delivery for women infected with human immunodeficiency virus is not yet known.

NOVEMBER (PART 2)

Obstetrics

Sarah Marcus, Edith Cheng, & Barbara Goff

Extrauterine Pregnancy Resulting From Early Uterine Rupture 804

Extrauterine pregnancy might result from early rupture of a cesarean scar.

James A. Thorp, Bradley E. Davis, & Christopher Klingele

Severe Early Onset Preeclampsia Secondary to Bilateral Ureteral Obstruction Reversed by Stenting 806

Pregnant women who had childhood surgery for vesicoureteral reflux might have severe early onset preeclampsia caused by bilateral ureteral obstruction that might be reversed by stenting.

Colleen M. Kennedy, David Peleg, Craig Syrop, & Ingrid Nygaard

Antenatal Diagnosis of Vesicouterine Fistula 808

A uterine rupture and associated vesicouterine fistula were diagnosed in a multiparous woman at 26 weeks' gestation.

Olivier Dupuis, Francois Audibert, Hervé Fernandez, & René Frydman

Herpes Simplex Virus Encephalitis in Pregnancy 810

Suspected maternal encephalitis requires immediate antiviral and antibiotic treatment, and polymerase chain reaction can detect herpes simplex virus infections in pregnant women and fetuses.

Justine Morris, Jodi Abbott, Patricia Burrows, & Deborah Levine

Antenatal Diagnosis of Fetal Hepatic Hemangioma Treated With Maternal Corticosteroids 813

Maternal corticosteroid therapy should be considered when an enlarging fetal hepatic hemangioma is detected antenatally.

Lakshmi Mehta, Boris Petrikovsky, Lawrence Tydings, & Jill Lundberg

Lateral Nasal Proboscis: Antenatal Diagnosis and Counseling 815

Lateral nasal proboscis can be diagnosed antenatally and is not associated with intracranial malformations.

Keiya Fujimori, Hitoshi Ohto, Shinya Honda, & Akira Sato

Antepartum Diagnosis of Fetal Intracranial Hemorrhage due to Maternal Bernard-Soulier Syndrome 817

Maternal immunization to glycoprotein IB/IX secondary to Bernard-Soulier syndrome caused severe fetal thrombocytopenia and intracranial bleeding.

Jukka Uotila & Outi Tammela

Acute Intrapartum Fetoplacental Transfusion in Monochorionic Twin Pregnancy 819

Acute fetoplacental transfusion is a serious intrapartum complication of second twins in monochorionic pregnancies.

Takashi Yamada, Hajime Kasamatsu, Yuzo Nagano, & Michio Shiguma

Moyamoya Disease Presenting as Cerebral Infarction After Cesarean 822

Moyamoya disease might present as cerebral infarction after cesarean.

John A. Schnorr, Jeremy S. Singer, Eric J. Udoff, & Peyton T. Taylor

Late Uterine Wedge Resection of Placenta Increta 823

Wedge resection of the uterine wall might help preserve reproductive function in placenta increta.

Stephen E. Scarantino, James G. Reilly, Michael L. Moretti, & Vincent T. Pillari

Argon Beam Coagulation in the Management of Placenta Accreta 825

The Argon beam coagulator might be a useful adjuvant in the treatment of placenta accreta.

Gynecology

Alison E. Zimon, Joseph K. Hwang, David L. Principe, & Ray O. Bahado-Singh

Pseudoaneurysm of the Uterine Artery 827

Sonographic diagnosis and embolization therapy of a uterine artery pseudoaneurysm prevented complications of pregnancy-related rupture.

Vivian E. von Gruenigen, Robert L. Coleman, Melanie R. King, & David Scott Miller

Abdominal Compartment Syndrome in Gynecologic Surgery 830

Abdominal compartment syndrome is rare but can be diagnosed early and treated.

Takao Kobayashi, Kazunao Suzuki, Tomio Arai, & Haruhiko Sugimura

Angiomyofibroblastoma Arising from the Fallopian Tube 833

An angiomyofibroblastoma can occur in the fallopian tube.

David P. Warshal, Elise R. Burgelson, James K. Aikins, & Thomas F. Rocereto

Post-Hysterectomy Fallopian Tube Carcinoma Presenting With a Positive Papanicolaou Smear 834

A case of fallopian tube carcinoma presented 34 years after hysterectomy with a positive Papanicolaou smear.

Kei Nakanishi, Hernani Cualing, & Nader Husseinzadeh — **Dermatomyositis as a Presenting Symptom of Ovarian Cancer** 836
Ovarian cancer can present with dermatomyositis, related symptoms of which improve after resection and chemotherapy.

Case Condensations

Obstetrics

Paul W. Whitecar, Anne Zweifel, & Kenneth J. Moise, Jr — **Failed Second-Trimester Misoprostol Termination Responding to Vaginal Instillation of Citric Acid** 839

Ming Chen, Jin-Chung Shih, Wei-Tsung Chiu, & Fon-Jou Hsieh — **Separation of Cesarean Scar During Second-Trimester Intravaginal Misoprostol Abortion** 840

Roberta Shear & Line Leduc — **Successful Pregnancy Following Kawasaki Disease** 841

Gerda G. Zeeman & Kenneth J. Moise, Jr — **Prophylactic Banding of Severe Esophageal Varices Associated With Liver Cirrhosis in Pregnancy** 842

Alessandro Ghidini, Eloisa Mariani, Cinzia Patregnani, & Elisabetta Marinetti — **Bronchiolitis Obliterans Organizing Pneumonia in Pregnancy** 843

Anuwat Keerasuntonpong, Jacqui Pitt, Paula L. Gaut, & Eric S. Daar — **Primary Human Immunodeficiency Virus Type 1 Infection in Pregnancy** 844

Jami Star & Maureen P. Malee — **Pregnancy Complicated by Nasopharyngeal Carcinoma** 845

James S. Dunn, Jr, Cameron D. Anderson, & Brian C. Brost — **Breast Carcinoma Metastatic to the Placenta** 846

Kathy S. Stewart & Michael C. Gordon — **Non-Hodgkin Lymphoma in Pregnancy Presenting as Acute Liver Failure** 847

Chris Spencer, Paul Smith, Nagy Rafla, & Roderick Weatherell — **Corticosteroids in Pregnancy and Osteonecrosis of the Femoral Head** 848

Thomas Schmitz, François Goffinet, Gaëlle Barrande, & Dominique Cabrol — **Maternal Hypercorticism From Serial Courses of Betamethasone** 849

Robin B. Kalish, David Garry, & Reinaldo Figueroa — **Achalasia With *Candida* Esophagitis During Pregnancy** 850

C. Blair Harkness, David H. Serfas, & Hytham M. Imseis — **L-Transposition of the Great Arteries Presenting as Severe Preeclampsia** 851

Herman Weiss, David M. Sherer, & Frank A. Manning — **Ultrasonography of Fetal Annular Pancreas** 852

Bruce L. Flamm — **Tight Nuchal Cord and Shoulder Dystocia: A Potentially Catastrophic Combination** 853

Mildred Rodriguez, Terry A. Harrison, Michael R. Nowacki, & Andrew K. Saltzman — Luteoma of Pregnancy Presenting With Massive Ascites and Markedly Elevated CA 125 — 854

Gynecology

Tod Aeby, Roselie Bauman, & Norman Sato — Long-Term Retained Hygroscopic Cervical Dilator — 855

Lee-may Chen, Scott D. Nelson, & Jonathan S. Berek — Recurrent Mature Cystic Teratoma Presenting as a Perihepatic Mass — 856

Kim Wever & Alicia Armstrong — Retropharyngeal and Mediastinal Abscesses: Postanesthetic Complication of Gynecologic Surgery — 857

Michel E. Rivlin — Tubovaginal Fistula After Vaginal Hysterectomy Complicated by a Tubo-ovarian Abscess and Diffuse Peritonitis — 858

Richard J. Cardosi, Mitchel S. Hoffman, William S. Roberts, & William N. Spellacy — Vaginal Evisceration After Hysterectomy in Premenopausal Women — 859

Tsutomu Douchi, Kuninori Maruta, Riki Kuwahata, & Yukihiro Nagata — Precocious Puberty in a Williams Syndrome Patient — 860

Salvatore Grosso, Rosario Berardi, Lucia Pucci, & Paolo Balestri — Precocious Puberty With Trisomy X Syndrome — 861

Evan V. Forsnes, K. Rachelle Derrough, & Michael O'Donoghue — A Mitotically Active Myoma in Rokitansky-Küster-Hauser Syndrome — 862

Toshihiko Toki, Kiyoshi Katoh, Hideaki Nakayama, & Shingo Fujii — Aggressive Angiomyxoma of the Vulva Associated With Severe Infection — 863

Reviews

Ben W. J. Mol, Jeroen G. Lijmer, Jan van der Meulen, Eva Pajkrt, Caterina M. Bilardo, & Patrick M. M. Bossuyt — Effect of Study Design on the Association Between Nuchal Translucency Measurement and Down Syndrome — 864

In studies of nuchal translucency measurement to detect trisomy 21, those with verification bias reported higher sensitivities and higher specificities than those without it.

Kristen Gyetvai, Mary E. Hannah, Ellen D. Hodnett, & Arne Ohlsson — Tocolytics for Preterm Labor: A Systematic Review — 869

Tocolytics for preterm labor prolong pregnancy but do not improve perinatal or neonatal outcomes.

Luis Sanchez-Ramos, Andrew M. Kaunitz, Isaac Delke, & Francisco L. Gaudier — Cervical Ripening and Labor Induction With a Controlled-Release Dinoprostone Vaginal Insert: A Meta-analysis — 878

A 10-mg, controlled-release dinoprostone vaginal insert is less effective than other prostaglandin preparations for cervical ripening and labor induction.

D. T. Gilmour, P. L. Dwyer, & M. P. Carey — **Lower Urinary Tract Injury During Gynecologic Surgery and Its Detection by Intraoperative Cystoscopy** 883

Routine cystoscopy during major gynecologic surgery allows identification of most unsuspected lower urinary tract injuries, permitting management during the primary surgery.

Michele Follen Mitchell, Scott B. Cantor, Carrie Brookner, Urs Utzinger, David Schottenfeld, & Rebecca Richards-Kortum — **Screening for Squamous Intraepithelial Lesions With Fluorescence Spectroscopy** 889

Fluorescence spectroscopy is promising for screening.

DECEMBER

David E. Shapiro, Rhoda S. Sperling, Laurent Mandelbrot, Paula Britto, & Bethann E. Cunningham for the Pediatric AIDS Clinical Trials Group Protocol 076 Study Group — **Risk Factors for Perinatal Human Immunodeficiency Virus Transmission in Patients Receiving Zidovudine Prophylaxis** 897

Maternal weight and conditions associated with fetal exposure to maternal blood or cervicovaginal secretions may diminish the efficacy of zidovudine chemoprophylaxis in terms of preventing perinatal human immunodeficiency virus type 1 transmission.

Giovanni Nigro, Manuela Mazzocco, Maurizio M. Anceschi, Renato La Torre, Guido Antonelli, & Ermelando V. Cosmi — **Prenatal Diagnosis of Fetal Cytomegalovirus Infection After Primary or Recurrent Maternal Infection** 909

Prenatal diagnosis of fetal cytomegalovirus infection should include polymerase chain reaction assay in addition to viral culture, particularly for congenital infections after maternal recurrence.

Ona M. Faye-Petersen, Debra A. Guinn, & Katharine D. Wenstrom — **Value of Perinatal Autopsy** 915

In our series, autopsy determined the cause of perinatal death in 94% of cases and altered counseling or recurrence risk estimates in 26%.

Toshihiro Yanagihara & Toshiyuki Hata — **Comparison of Late–Second-Trimester Nonstress Test Characteristics Between Small for Gestational Age and Appropriate for Gestational Age Infants** 921

Periodic or episodic deceleration and increased fetal heart rate variability during the late second trimester are associated with an increased risk of growth-restricted infants.

Richard K. Silver, Katherine Blum, Leslie J. Geibel, Judith A. Beaird, Ira Salafsky, & Scott N. MacGregor — **Clinical Implications of Atypical Chromosome Abnormalities Diagnosed Prenatally** 925

Atypical aneuploidy, observed in 1.0% of prenatal karyotypes, confers sufficient ambiguity to render counseling and prenatal decision making difficult, even in the absence of associated structural malformations.

M. van Rijn, Y. T. van der Schouw, A. M. Hagenaars, G. H. A. Visser, & G. C. M. L. Christiaens — **Adverse Obstetric Outcome in Low- and High-Risk Pregnancies: Predictive Value of Maternal Serum Screening** 929

Unexplained elevated serum alpha-fetoprotein or hCG levels increase the risk of adverse pregnancy outcome in women with low a priori risk but not in women with high a priori risk.

Felicia Otchet, Mark S. Carey, & Lorraine Adam — **General Health and Psychological Symptom Status in Pregnancy and the Puerperium: What Is Normal?** 935

Physical and psychological health status change significantly during pregnancy and the puerperium.

Patricia R. Hebert, George Reed, Stephen S. Entman, Edward F. Mitchel, Jr, Cynthia Berg, & Marie R. Griffin

Serious Maternal Morbidity After Childbirth: Prolonged Hospital Stays and Readmissions 942

Serious maternal morbidity resulting in prolonged delivery hospitalization or readmission is predicted by age over 32 years, black ethnicity, and primiparity.

Weijin Zhou, Henrik Toft Sørensen, & Jørn Olsen

Induced Abortion and Subsequent Pregnancy Duration 948

Induced abortion may alter pregnancy duration in a subsequent pregnancy.

Mitchell Maiman, D. Heather Watts, Janet Andersen, Pamela Clax, Maria Merino, & Michelle A. Kendall

Vaginal 5-Fluorouracil for High-Grade Cervical Dysplasia in Human Immunodeficiency Virus Infection: A Randomized Trial 954

Administration of intravaginal 5-fluorouracil reduces recurrence of cervical intraepithelial neoplasia after standard surgery for high-grade lesions in human immunodeficiency virus–infected women.

Cary P. Gross, Wanda Nicholson, & Neil R. Powe

Factors Affecting Prophylactic Oophorectomy in Postmenopausal Women 962

Practice style may significantly affect the likelihood of receiving concomitant oophorectomy when postmenopausal women undergo hysterectomy.

Glinda S. Cooper & John M. Thorp, Jr

FSH Levels in Relation to Hysterectomy and to Unilateral Oophorectomy 969

Follicle-stimulating hormone concentrations are higher in women who have had hysterectomies, even if at least one ovary remains.

Jason R. Thompson, John S. Gibb, Rene Genadry, Lara Burrows, Nicholas Lambrou, & Jerome L. Buller

Anatomy of Pelvic Arteries Adjacent to the Sacrospinous Ligament: Importance of the Coccygeal Branch of the Inferior Gluteal Artery 973

Arterial injury can be avoided during sacrospinous ligament suspension if sutures are placed along the superior border of the ligament more than 2.5 cm medial to the ischial spine, while avoiding full thickness.

Paul M. Bosio, Peter J. McKenna, Ronan Conroy, & Colm O'Herlihy

Maternal Central Hemodynamics in Hypertensive Disorders of Pregnancy 978

Preclinical hyperdynamic circulatory alterations occur in preeclampsia and gestational hypertension, but preeclampsia is characterized by subsequent hemodynamic crossover to a low cardiac output, vasoconstricted state.

Kimberly D. Gregory, Lisa M. Korst, Patricia Cane, Lawrence D. Platt, & Katherine Kahn

Vaginal Birth After Cesarean and Uterine Rupture Rates in California 985

California state discharge data confirm a low rate of uterine rupture among women attempting vaginal birth after cesarean.

Linn H. Parsons & Margaret A. Harper

Violent Maternal Deaths in North Carolina 990

Obstetric providers often were unaware of abuse among maternal deaths from intimate partner homicide or depression among maternal deaths from suicide.

Kimberly D. Butt, Kelly A. Bennett, Joan M. G. Crane, Donna Hutchens, & David C. Young

Randomized Comparison of Oral Misoprostol and Oxytocin for Labor Induction in Term Prelabor Membrane Rupture 994

Oral misoprostol, though effective, results in significantly longer time from onset of induction to vaginal delivery than oxytocin when given for premature rupture of membranes.

John C. Smulian, Susan Shen-Schwarz, Anthony M. Vintzileos, Marian F. Lake, & Cande V. Ananth

Clinical Chorioamnionitis and Histologic Placental Inflammation 1000

Histologic confirmation of placental infection commonly is absent in cases of clinical diagnoses of maternal chorioamnionitis or possible neonatal sepsis.

Lisa M. Hollier, Donald D. McIntire, & Kenneth J. Leveno

Outcome of Twin Pregnancies According to Intrapair Birth Weight Differences 1006

Birth weight discordancy was associated with both antepartum fetal death and morbidity of prematurity in an analysis of 1370 consecutive twin gestations.

Deborah Levine, Patrick D. Barnes, Joseph R. Madsen, Jodi Abbott, Tejas Mehta, & Robert R. Edelman

Central Nervous System Abnormalities Assessed With Prenatal Magnetic Resonance Imaging 1011

When a central nervous system abnormality is detected by prenatal ultrasound, magnetic resonance imaging findings may lead to altered diagnosis and patient counseling.

Amy Foster Bosco, Mary E. Norton, & Ellice Lieberman

Predicting the Risk of Cystic Fibrosis With Echogenic Fetal Bowel and One Cystic Fibrosis Mutation 1020

The risk of cystic fibrosis associated with echogenic fetal bowel and one detectable cystic fibrosis mutation is highest in populations with the lowest mutation detection rates.

Bryann Bromley, Thomas D. Shipp, & Beryl R. Benacerraf

Amnion-Chorion Separation After 17 Weeks' Gestation 1024

Amnion-chorion separation that persists beyond 17 weeks' gestation is not necessarily a complication of amniocentesis and increases the risk of adverse perinatal outcomes.

Stanley F. Gould, Eric P. Spaziani, Ray Benoit, & William F. O'Brien

Immunohistochemical Localization of the Prostaglandin E Subtype-1 Receptor in Cytokine-Stimulated and Unstimulated Amnion Cells 1027

The prostaglandin E subtype-1 receptor is nonuniformly localized on the amnion cell cytoplasmic membrane and is stimulated by inflammatory cytokines.

Petra L. M. Zusterzeel, Wilbert H. M. Peters, Marion A. H. De Bruyn, Maarten F. C. M. Knapen, Hans M. W. M. Merkus, & Eric A. P. Steegers

Glutathione S-Transferase Isoenzymes in Decidua and Placenta of Preeclamptic Pregnancies 1033

Lower levels of placental and decidual glutathione S-transferase pi might indicate a decreased operating capacity of the glutathione/glutathione S-transferase detoxification system in patients with preeclampsia compared with controls.

Instruments & Methods

Douglass S. Hale & Robert M. Rogers, Jr

Abdominal Sacrospinous Ligament Colposuspension 1039

The sacrospinous ligament complex can be approached abdominally through the space of Retzius to provide vaginal vault support.

Lester J. Voutsos, David B. Schwartz, Dean G. Silveri, & David M. Cantor

A Method of Masking Oxytocin Infusion Rates 1041

With the use of a computer and commercially available infusion pump, oxytocin infusion rates may be masked, which helps the study of induction and augmentation of labor.

Clinical Commentary

David N. Burns & Howard Minkoff

Hepatitis C: Screening in Pregnancy 1044

Pregnancy is an important time to test for hepatitis C virus infection, a prevalent, potentially fatal virus that can be transmitted from mother to infant.

Graduate Education

Thomas D. Myles — **United States Medical Licensure Examination Step 1 Scores and Obstetrics-Gynecology Clerkship Final Examination** 1049

United States Medical Licensure Examination step 1 test scores correlate directly with obstetrics-gynecology final examination scores and can help identify students at risk of failure.

Irina D. Burd, Sharon Mass, Alex Karshenboyem, & Gloria Bachmann — **An ACOG-Affiliated Medical Student Obstetrics and Gynecology Club** 1051

An ACOG-affiliated obstetrics and gynecology club for medical students succeeds because of strong collaboration between medical students and ACOG Fellows and Junior Fellows.

Letter 1054

Certification List 1056

Author Index 1058

Subject and Title Index 1070